



表7 土壤检测结果一览表

| 检测日期               | 检测位置 | 采样深度(m)        | 样品编号            | 经度             | 纬度 | 半挥发性有机物 |       |       |        |       |         |         |           |       |               |
|--------------------|------|----------------|-----------------|----------------|----|---------|-------|-------|--------|-------|---------|---------|-----------|-------|---------------|
|                    |      |                |                 |                |    | 苯胺      | 2-氯苯酚 | 硝基苯   | 苯并[a]蒽 | 䓛     | 苯并[b]荧蒽 | 苯并[k]荧蒽 | 二苯并[a,h]芘 | 苯并芘   | 茚并[1,2,3-cd]芘 |
|                    |      |                |                 |                |    | mg/kg   | mg/kg | mg/kg | mg/kg  | mg/kg | mg/kg   | mg/kg   | mg/kg     | mg/kg |               |
| S1#污染土投加点区域        | 0.2m | 20WT2851-S1-1  | 106.97<br>8582° | 29.825<br>443° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S2#熟料生产区窑尾区域和氨水储罐区 | 0.2m | 20WT2851-S2-1  | 106.97<br>8163° | 29.824<br>675° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S3#熟料生产区下风向        | 0.2m | 20WT2851-S3-1  | 106.97<br>8163° | 29.824<br>675° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S4#柴油储罐区           | 0.2m | 20WT2851-S4-1  | 106.97<br>8163° | 29.824<br>675° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S5#润滑油库房区域         | 0.2m | 20WT2851-S5-1  | 106.97<br>7235° | 29.823<br>696° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S6#污染土堆棚区域         | 0.2m | 20WT2851-S6-1  | 106.97<br>7896° | 29.823<br>959° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S7#危废暂存间区域         | 0.2m | 20WT2851-S7-1  | 106.97<br>7983° | 29.825<br>686° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S8#煤渣堆棚区域          | 0.2m | 20WT2851-S8-1  | 106.97<br>6023° | 29.823<br>961° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| S9#原煤堆棚区域          | 0.2m | 20WT2851-S9-1  | 106.97<br>5913° | 29.822<br>306° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
| DZS1#办公区           | 0.2m | 20WT2851-S10-1 | 106.97<br>5280° | 29.823<br>698° | ND | ND      | ND    | ND    | ND     | ND    | ND      | ND      | ND        | ND    |               |
|                    |      |                |                 |                |    |         |       |       |        |       |         |         |           |       |               |
|                    |      |                |                 |                |    | 方法检出限   | 0.1   | 0.06  | 0.09   | 0.09  | 0.1     | 0.2     | 0.1       | 0.1   |               |
|                    |      |                |                 |                |    | 备注      |       |       |        |       |         |         |           |       |               |
|                    |      |                |                 |                |    |         |       |       |        |       |         |         |           |       |               |

检测数据低于标准方法检出限,检测结果以“ND”表示。



九升(检)字[2020]第WT2851号

表7(续) 土壤检测结果一览表

| 检测日期              | 检测位置 | 采样深度(m)        | 样品编号            | 经度             | 纬度  | 挥发性有机物 |       |          |             |          |             |       |            |
|-------------------|------|----------------|-----------------|----------------|-----|--------|-------|----------|-------------|----------|-------------|-------|------------|
|                   |      |                |                 |                |     | 氯甲烷    | 氯乙烷   | 1,1-二氯乙烷 | 反式-1,2-二氯乙烯 | 1,1-二氯乙烷 | 顺式-1,2-二氯乙烯 | 氯仿    | 1,1,1-三氯乙烷 |
|                   |      |                |                 |                |     | μg/kg  | μg/kg | μg/kg    | μg/kg       | μg/kg    | μg/kg       | μg/kg | μg/kg      |
| S1#污染土投加点区域       | 0.2m | 20WT2851-S1-1  | 106.97<br>8582° | 29.825<br>443° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S2#熟料生产区窑尾区和氨水储罐区 | 0.2m | 20WT2851-S2-1  | 106.97<br>8163° | 29.824<br>675° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S3#熟料生产区下风向       | 0.5m | 20WT2851-S3-1  | 106.97<br>8163° | 29.824<br>675° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S4#柴油储罐区          | 1.0m | 20WT2851-S4-1  | 106.97<br>8163° | 29.824<br>675° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S5#润滑油库房区域        | 0.2m | 20WT2851-S5-1  | 106.97<br>7235° | 29.823<br>696° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S6#污染土堆棚区域        | 0.2m | 20WT2851-S6-1  | 106.97<br>7896° | 29.823<br>959° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S7#危废暂存间区域        | 0.2m | 20WT2851-S7-1  | 106.97<br>7983° | 29.825<br>686° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S8#煤渣堆棚区域         | 0.2m | 20WT2851-S8-1  | 106.97<br>6023° | 29.823<br>961° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| S9#原煤堆棚区域         | 0.2m | 20WT2851-S9-1  | 106.97<br>5913° | 29.822<br>306° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
| DZS1#办公楼          | 0.2m | 20WT2851-S10-1 | 106.97<br>5280° | 29.823<br>698° | ND  | ND     | ND    | ND       | ND          | ND       | ND          | ND    | ND         |
|                   |      | 方法检出限          |                 |                | 1.0 | 1.0    | 1.0   | 1.5      | 1.4         | 1.2      | 1.3         | 1.1   | 1.3        |
| 备注                |      |                |                 |                |     |        |       |          |             |          |             |       |            |

检测数据低于标准方法检出限,检测结果以“ND”表示。



表7(续) 土壤检测结果一览表

| 检测日期      | 检测位置              | 采样深度(m) | 样品编号          | 经度              | 纬度             | 挥发性有机物        |            |                   |                      |                   |             |
|-----------|-------------------|---------|---------------|-----------------|----------------|---------------|------------|-------------------|----------------------|-------------------|-------------|
|           |                   |         |               |                 |                | 四氯化碳<br>μg/kg | 苯<br>μg/kg | 1,2-二氯乙烷<br>μg/kg | 三氯乙烷<br>μg/kg        | 1,2-二氯丙烷<br>μg/kg | 甲苯<br>μg/kg |
| 2020.7.21 | S1#污染土投加点区域       | 0.2m    | 20WT2851-S1-1 | 106.978<br>582° | 29.825<br>443° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S2#熟料生产区窑尾区和氨水储罐区 | 0.2m    | 20WT2851-S2-1 | 106.978<br>163° | 29.824<br>675° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S3#熟料生产区下风向       | 0.5m    | 20WT2851-S3-1 | 106.978<br>163° | 29.824<br>675° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S4#柴油储罐区          | 1.0m    | 20WT2851-S4-1 | 106.978<br>163° | 29.824<br>675° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S5#润滑油库房区域        | 0.2m    | 20WT2851-S5-1 | 106.977<br>235° | 29.823<br>696° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S6#污染土堆棚区域        | 0.2m    | 20WT2851-S6-1 | 106.977<br>896° | 29.823<br>959° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S7#危废暂存间区域        | 0.2m    | 20WT2851-S7-1 | 106.977<br>983° | 29.825<br>686° | ND            | ND         | ND                | ND                   | ND                | ND          |
|           | S8#焦渣堆棚区域         | 0.2m    | 20WT2851-S8-1 | 106.976<br>023° | 29.823<br>961° | ND            | ND         | ND                | 3.46×10 <sup>2</sup> | ND                | ND          |
|           | S9#原煤堆棚区域         | 0.2m    | 20WT2851-S9-1 | 106.975<br>913° | 29.822<br>306° | ND            | ND         | ND                | ND                   | ND                | ND          |
| 方法检出限     |                   |         |               |                 |                | 1.3           | 1.9        | 1.3               | 1.2                  | 1.1               | 1.3         |
| 备注        |                   |         |               |                 |                |               |            |                   |                      |                   | 1.2         |
|           |                   |         |               |                 |                |               |            |                   |                      |                   | 1.4         |
|           |                   |         |               |                 |                |               |            |                   |                      |                   | 1.2         |

检测数据低于标准方法检出限,检测结果以“ND”表示。